FORM PTO-1390 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE (REV 11-2000)

TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371 INTERNATIONAL APPLICATION NO. INTERNATIONAL FILING DATE

09/914289

36-1505

25 March 1999

20 December 1999

PRIORITY DATE CLAIMED

PCT/GB00/00980

TITI	E OF	INV	ENTION COMPUTER SYSTEM						
ΔPF	LICA	NT/S	FOR DO/EO/US						
			HARLAND et al						
Арр	licant	here	with submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:						
1.	\boxtimes	This	s is a FIRST submission of items concerning a filing under 35 U.S.C. 371.						
2.		This	s is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.						
3.	\boxtimes	This is an express request to begin national examination procedures (35 U.S.C. 371(f). The submission must include items (5), (6), (9) and (21) indicated below.							
Q.	\boxtimes	The	U.S. has been elected by the expiration of 19 months from the priority date (Article 31).						
<u>.</u>	A co	py of	the International Application as filed (35 U.S.C. 371(c)(2)).						
beb	a.	\boxtimes	is attached hereto (required only if not communicated by the International Bureau).						
- jus	b.	\boxtimes	has been communicated by the International Bureau.						
LJ M	C.		is not required, as the application was filed in the United States Receiving Office (RO/US).						
6.		An I	English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).						
	a.		is attached hereto.						
Marie Marie	b.		has been previously submitted under 35 U.S.C. 154(d)(4).						
7		Ame	endments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))						
A. E.	a.		are attached hereto (required only if not communicated by the International Bureau).						
J	b.		have been communicated by the International Bureau.						
a de	c.		have not been made; however, the time limit for making such amendments has NOT expired.						
	d.		have not been made and will not be made.						
8.		An I	English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).						
9.	\boxtimes	An o	path or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).						
10.		ΑE	nglish language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(ϕ)(5)).						
	Item	ns 11	To 20 below concern document(s) or information included:						
11.		An I	nformation Disclosure Statement under 37 C.F.R. 1.97 and 1.98.						
12.	\boxtimes	An a	assignment document for recording. A separate cover sheet in compliance with 37 C.F.R. 3.28 and 3.31 is included.						
13.	\boxtimes	A FI	RST preliminary amendment.						
14.		A S	ECOND or SUBSEQUENT preliminary amendment.						
15.		Αsι	ubstitute specification.						
16.		A ch	nange of power of attorney and/or address letter.						
17.		A co	emputer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821-1.825.						
18.		A s	econd copy of the published international application under 35 U.S.C. 154(d)(4).						
19.		A se	econd copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).						
20	\Box	Oth	ar itama ar information						

16 March 2000

518 Rec'd PCT/PTO 2 7 AUG 2001

U.S. APPLICAT 09/9	PLICAT 09/914289 INTERNATIONAL APPLICATION NO. PCT/GB00/00980			TTORNEY'S DOCKET NUMBER 36-1505					
21. X The following fee	es are submitt	ed:				ÇAL	CULATIONS	PTO	USE ONLY
BASIC NATIONAL F	EE (37 C.F.R.	1.492(a)(1)-(5):						
			n fee (37 C.F.R. 1.482)						
nor international s	earch fee (37	C.F.R. 1.44	5(a)(2)) paid to USPTO		1000 00				
International prelin	ninary examir	ation fee (3	ed by the EPO or JPO 7 C.F.R. 1.482) not paid to						
International prelit	ninary examir	ation fee (3	epared by the EPO or JPO 7 C.F.R. 1.482) not paid to	USPTO					
but international s	earch fee (37	C.F.R. 1.44	5(a)(2)) paid to USPTO 7 C.F.R. 1.482) paid to US		\$710.00				
but all claims did r	not satisfy pro	visions of P	CT Article 33(1)-(4) 7 C.F.R. 1.482) paid to US		\$690.00				
and all claims sati	sfied provision	ns of PCT A	rticle 33(1)-(4)			H		Γ-	
			ENTER APPROPRIATE		AMOUNT =	\$	860.00		
Surcharge of \$130.00 for months from the earliest	claimed priori	ty date (37	claration later than 20 C.F.R. 1.492(e)).	□ 30		s	0.00		
CLAIMS	NUMBER		NUMBER EXTRA		TE	<u> </u>	0.00	_	
Total Claims	9	-20 =	0	X	\$18.00 \$80.00	S	0.00	⊢	
#ndependent Claims #MULTIPLE DEPENDEN	2 CLAIME/S	-3 =			0.00	s	0.00	\vdash	
SHOULTIPLE DEPENDEN	CLAINS(3)	(ii applicabi	TOTAL OF AB			s	860.00	_	
Applicant claims sn	nall entity state	s. See 37	CFR 1.27. The fees indic	ated above		П			
are reduced by 1/2.							0.00	<u> </u>	
174		or the Francis	-h Tu-sel-ti-sel-te-sthom		UBTOTAL =	\$	860.00		
Processing fee of \$130.0			sh Translation later than [C.F.B. 1.492(f)).	1 20 🗀 30			0.00	1	
3			Т	OTAL NATIO		S	860.00		
Fee for recording the end	closed assign	nent (37 C.	F.R. 1.21(h)). The assigni	nent must be			40.00	l	
accompanied by an appr	opriate cover	sheet (37 C	F.R. 3.28, 3.31). \$40.00	per property	+	\$	40.00	-	
tee for Petition to Revive	Unintentiona	illy Abandol	ro	TAL FEES E	NCLOSED =	s	900.00	-	
		-					nount to be:		
a							refunded	\$	
						ᆫ	Charged	\$	
b. Please charge A duplicate co c. The Commissi	my Deposit A py of this form oner is hereby o Deposit Acc	Account No. is enclosed y authorized	over the above fees is encl 14-1140 in the amount of d. d to charge any additional in 1-1140. A duplicate copy attion(s), referred to in this a	S to co ees which m of this form is	ay be required	d, or e	credit any	erence	in this
or (b)) must be filed an	d granted to	restore the	37 C.F.R. 1.494 or 1.495 application to pending :	has not beer status.	ے (_	o revive (37	C.F.R	. 1.137(a)
SEND ALL CORRESPO	NDENCE TO	:		SIGNATU	JRE A	۱, د	u-try i	year of	
NIXON & VANDERHYE				2.2.3	1				
1100 North Glebe Road					-				
Arlington, Virginia 22201 Telephone: (703) 816-40				Larry S.	Nixon				
1 Cicpitorie. (700) 610-40	,			NAME					
				25,640 REGISTI	RATION NUMB	ER	August 27 Date	, 200	<u>!</u>

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

HARLAND et al

Attv. Ref.: Group:

36-1505

Serial No.

Unknown

PCT/GB00/00980

National Phase of: International Filing Date: 16 March 2000

Filed:

August 27, 2001

Examiner:

For:

COMPUTER SYSTEM

August 27, 2001

Assistant Commissioner for Patents Washington, DC 20231

Sir:

PRELIMINARY AMENDMENT

Prior to calculation of the filing fee and in order to place the above identified application in better condition for examination, please amend the claims as follows:

IN THE CLAIMS

Please substitute the following amended claims for corresponding claims previously presented. A copy of the amended claims showing current revisions is attached.

- 3. (Amended) A computer system as claimed in claim 1, in which each data access component comprises at least one software object, and said one data access component comprises at least two software objects, one of which is arranged to respond to a query designed for the present version of the structure of its associated data set and the other of which is arranged to respond to a query designed for the earlier version of the structure of its associated data set.
 - 4. (Amended) A computer system as claimed in claim 1, in which:

HARLAND et al Serial No. Unknown

the computer system includes a client computer, a server computer and a communications network arranged to connect the client computer to the server computer; and

said version of said application program and said at least one data access component are stored on said client computer; and

said data sets are stored in said server computer.

7. (Amended) A computer system as claimed in claim 4, wherein the client computer is a mobile phone, WAP terminal or mobile-IP terminal and the communications network includes a radio transmission system over which data connections can be made between the client computer and the server computer.

REMARKS

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "Version with markings to show changes made."

The above amendments are made to place the claims in a more traditional format.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By:

Larry S. Nixon Reg. No. 25,640

LSN:Imy

1100 North Glebe Road, 8th Floor Arlington, VA 22201-4714 Telephone: (703) 816-4000 Facsimile: (703) 816-4100

VERSION WITH MARKINGS TO SHOW CHANGES MADE

- 3. (Amended) A computer system as claimed in [any one of the preceding claims] claims1, in which each data access component comprises at least one software object, and said one data access component comprises at least two software objects, one of which is arranged to respond to a query designed for the present version of the structure of its associated data set and the other of which is arranged to respond to a query designed for the earlier version of the structure of its associated data set.
- 4. (Amended) A computer system as claimed in [any one of the preceding claims] claim 1, in which:

the computer system includes a client computer, a server computer and a communications network arranged to connect the client computer to the server computer; and

said version of said application program and said at least one data access component are stored on said client computer; and

said data sets are stored in said server computer.

7. (Amended) A computer system as claimed in [any one of claims 4 to 6] <u>claim</u> 4, wherein the client computer is a mobile phone, WAP terminal or mobile-IP terminal and the communications network includes a radio transmission system over which data connections can be made between the client computer and the server computer.

etra [11

COMPUTER SYSTEM

This invention relates to a computer system.

As is well known, a computer system may include an application program installed and loaded on to the computer system and which is capable of accessing one or more data sets stored on the computing system. As is well known, an application program may be updated from time to time to produce a new version with additional functionality. Thus, it is quite usual to produce a series of versions of a particular application program. The structure of a data set may also be updated from time to time, for example by adding one or more additional fields. With presently known computing systems, when the structure of a data set is updated, it is necessary to produce an updated version of the associated application program in order to enable it to access the data set. Some users of the application program may not wish to suffer the inconvenience of obtaining an updated version. Also, after a new version of an application program has been produced, the users of it will have to be trained how to use it and so there will be a period during which some users will want to continue using the previous version of the application program.

According to one aspect of this invention there is provided a computer system including a version of an application program stored in said computer system, at least one data access component stored in said computer system, the or each data access component being associated with a set of data stored in said computer system, the or each data access component being arranged to received a data query from said version of said application program, access its associated data set in response to said query, and transmit a reply to said version of said application program, and one of said data access components being arranged to access its associated data set both to respond to a query designed for the present version of the structure of its associated data set.

In this specification, the term "data set" is intended to refer to a set of 30 functionally related data records which are accessed together as a unit.

With this invention, when the structure of a data set is updated, it is only necessary initially to produce an updated version of the associated data access component and not the associated application program. After the updated version of

the data access component has been installed on the computer system, the present version of the application program will be able to access the data set in the new structural version. Also, when an updated version of the application program is produced and installed on a computer, this will also be able to access the data set in the new structural version.

The or each data set may comprise a set of records, each of which has a set of fields, and the difference between the present and earlier versions of the structure of the data set associated with said one data access component is that the records of the present version of the structure of the data set include at least one additional 10 field.

Preferably, each data access component comprises at least one software object, and said one data access component comprises at least two software objects, one of which is arranged to respond to a query designed for the present version of the structure of its associated data set, and the other of which is designed to respond to a query designed for the earlier version of the structure of its associated data set.

The computer system may include a client computer, a server computer and a communications network arranged to connect the client computer and server computer, said version of said application program and said at least one data access component being stored on said client computer, and said data sets being stored on 20 said server computer.

There may be a plurality of versions of said application program stored on said server computer, said client computer being arranged to download one or more versions of said versions application program from said server computer for use on said client computer.

25 Said at least one data access component may be stored on said server computer, and said client computer may be arranged to download said at least one data access component from said server computer for use on said client computer.

When operating the computer system, preferably a version of the application program and said at least one data access component are downloaded in separate 30 operations.

According to another aspect of this invention there is provided a method of operating a computer system, said computer system including a version of an application program stored in said computer system, at least one data access

component stored in said computer system, the or each data access component being associated with a set of data stored in said computer system, the or each data access component being arranged to receive a data query from said version of said application program, access its associated data set in response to said query, and transmit a reply to said version of said application program, said method comprising the steps of changing the structure of one of said data sets, and modifying the data access component associated with said one data set, the modification to said data access component permitting it to handle queries from the present version of the application program directed to said one data set but designed for the data set before the change in its structure.

This invention will now be described in more detail, by way of example, with reference to the drawings in which:

Figure 1 is a block diagram of a directory assistance system for a telecommunications network embodying this invention;

15 Figure 2 shows the structure of the records of a data set used by the system of Figure 1;

Figure 3 shows an updated version of the structure for the records shown in Figure 2;

Figure 4 shows the software components of a workstation forming part of 20 the directory assistance system of Figure 1;

Figure 5 is a flow chart illustrating the operation of the workstation;

each of Figures 6 to 10 is a functional block diagram showing an application program and associated data access components which may be installed in the workstation together with their interaction with data sets which may be stored in a 25 server computer forming part of the directory assistance system of Figure 1; and

Figure 11 is a block diagram illustrating the construction of a data access component.

Referring now to Figure 1, there is shown a directory assistance system 10 for a public switched telecommunications network (PSTN) 12. The directory assistance system 10 includes a switch 14 connected to the PSTN 12 and which distributes incoming calls to a set of workstations used by directory assistance operators. One of these workstations is shown and indicated by reference numeral 16. The workstations, including workstation 16, are connected to a local area

network (LAN) 18. LAN 18 is connected to a local server computer 20, the purpose of which will be described in more detail below. LAN 18 is also connected to a router 21 which in turn is connected to a wide area network (WAN) 22. WAN 22 is connected to a remote server computer 24. The remote server computer 24 stores a 5 large set of records, each of which contains details of one of the customers of the PSTN 12. In each record, the details include the name, address and telephone number of the customer.

The workstation 16 and other workstations connected to the switch 14, the LAN 18, the local server computer 20 and the router 21 are co-located in the same 10 physical site. The remote server computer 24 also serves workstations located at other sites.

Each of the workstations, including workstation 16, has an application program which can perform a search on the records stored in the remote server computer 24 to retrieve the telephone number of a customer of PSTN 12 in response 15 to an enquiry from a caller. When performing a search, the user or operator enters the name of the customer on the workstation 16 and usually other details such as the initials of the customer, the town where the customer is located or part or all of the address of the customer. As will be described below, the user can also be assisted by accessing records stored in the local server 20.

From time to time, the format or structure of the records stored in the remote server 24 may be updated to produce a new version. When a new version is produced, the application program used by the workstations must also be updated so as to enable it to access the new version. For a transitional period, the old and new versions of the records may both be stored on the remote server 24 or one version 25 may be stored on the remote server 24 and another version stored on another server computer connected to WAN 22. This enables the records to be accessed using both the old and new versions of the application program.

As may be readily appreciated, the directory assistance system 10 is also a computing system. The computers include the workstations, the local server 30 computer 20 and the remote server computer 24. The hardware construction of each of these computers is conventional and includes a central processing unit, a store formed from a combination of read-only-memory, random-access-memory, hard disk storage and floppy disk storage, a keyboard, visual display unit and input and output ports. In each of the computers, an operating system and one or more application programs are held in the store and provide the desired functionality.

The various versions of the application program used by the workstation 16 are stored in the local server 20. As will be described in more detail below, each 5 workstation is arranged to download the various versions of the application program from the local server 20. For each user of the workstations, the local server 20 contains a record setting out the details of the user and the version or versions of the application program which that user is permitted to use. Several sets of data records are also stored on the local server 20. Each of these sets of records is designed to 10 assist the users of the workstations in answering enquiry calls.

One of these sets of data is a set of locality records. When making an enquiry for the telephone number of a customer of the PSTN 12, a caller will sometimes give incorrect information with regard to the locality of the customer. For example, rather than giving the correct town in which the customer is located, the caller may give the name of a nearby town. The purpose of the locality records is to enable a user of a workstation to extend the search to neighbouring areas. The fields of a typical locality record are shown in Figure 2. As may be seen, these records include a field 40 for a town, a field 41 for the nearest town to the town entered in field 40, a field 42 for the next nearest town and a field 42 for the county in which to town is located. Thus, when using this set of records, the user accesses the record for the town given by the caller. The user may then use the data in the record to extend the search to the nearest town, the next nearest town or to the county in which that town is located.

In the system of Figure 1, it may be desired to change the structural format

25 of one of the sets of data records. For example, the structure of one of the sets of
data records could be changed by adding an additional field. Referring to Figure 3,
there is shown a modified structure for the set of locality records. In the structure
shown in Figure 3, each locality record has a field 50 for a town, a field 51 for the
nearest town, a field 52 for the next nearest town, a field 53 for the county in which

30 the town is located and a field 54 for the nearest county. Thus, in comparison with
the structure shown in Figure 2, the structure shown in Figure 3 includes an
additional field, namely the field 54, for the nearest county.

When the structure of a set of data records is modified, for example as illustrated with reference to Figures 2 and 3, then the application program which is used to access those data records must be updated to take advantage of the modification. Also, in the absence of the present invention, the application program would have to be updated even to access data records arranged in the new structure.

In this invention, and as will be described in more detail below, each set of data records stored in the local server computer 20 has an associated data access component. A copy of this data access component is loaded into each workstation which accesses those data records. In use, an application program installed on a workstation does not access a set of data records stored in the local server computer 20 directly. Instead, it accesses the data records via the associated data access component.

With the invention, when the structure of a set of data records is changed, then the associated data access component is modified. The data access component is modified so that both the existing version of the application program and the modified version of the application program will be able to access the data records with the modified structure via the modified data access component. When the existing version of the application program accesses the data records, it will not be able to take advantage of any extra features, for example an extra field, in the modified structure of the data records. In contrast, the modified version of the application program will be able to take advantage of any additional features.

Thus, with the invention, when the structure of a set of data records is modified, it is necessary initially only to modify the data access component and not the whole application program itself. The invention also provides the advantage that the data records for the new structure can be used with both the existing and modified versions of the application program. This allow the users of the application program to continue using the data records while they are being trained in the use of the modified version of the application program.

Referring now to Figure 4, there are shown the main software components

30 installed into each of the workstations, such as the workstation 16, of the directory
assistance system 10. As shown in Figure 4, these components include an operating
system 60, a control program 61, application programs 62 and a set of data access
components 63. Normally, a complete set of the current versions of the main

application program are loaded into each of the workstations. The main function of the control program 61 is to download the current versions from the local server computer 20 and to delete any version which is no longer in use. As explained above, each data access component is associated with a set of data records stored 5 on the local server 20.

Referring now to Figure 5, there is shown a flow chart illustrating the operation of one of the workstations.

Initially, in a step 70, the control program obtains a list of available versions of the main application program from the server computer. The main application 10 program is the program which is used for answering enquiries from calling parties. All further references in this description to the application program are to be understood as references to this main application program.

Next, in a step 72, the control program obtains a list of the versions of the application program installed on the workstation. Then, in a step 73, any version of 15 the application program which is no longer available is removed by deleting from the store of the workstation.

Next, in a step 74, the control program downloads from the server computer any available versions of the application program which are not currently installed on the workstation. Then, in a step 75, the current versions of the data access 20 components are downloaded from the server computer and stored in the workstation. These current versions replace any previous versions stored in the workstation.

In a step 76, the control program starts-up the last used version of the application program. The last used version of application program is the version of the application which has been most recently used on the workstation.

The application program itself, in a step 77, then obtains the data record for the present user of the workstation from the server computer. The user record specifies the version or versions which the user is permitted to use. In a step 78, the user then selects the required version of the application program. If the user is permitted to use more than one version of the application program, the user makes a 30 selection based on the user's present requirements. For example, the user may use one version for answering enquiries and another version for training.

In a step 79, the application program checks whether the required version is running. If the required version is running, a jump is made to step 80. If the required

version is not running, in steps 81 and 82, the control program shuts shown the version of the application program which is currently running and then starts up the required version. This is followed by step 80. In step 80, the user uses the application program either for training or for answering enquiries from calling parties.

Referring now to Figure 6, there is shown the arrangement of version 1.0 of the application program, two data access components dmc1 and dmc2 and two data sets A and B. The data access components dmc1 and dmc2 provide access to the data sets A and B, respectively, as indicated by arrows 90 and 91. The interfaces between the application program and data management components dmc1 and dmc2 10 are provided, respectively, by interfaces iDmc1 and iDmc2. These interfaces are provided by portions of code in the application program and the data management components.

Each of the data management components dmc1 and dmc2 is constructed so as to provide server functionality and each of these data management components is 15 arranged to respond to queries from the application program. Thus, for example, when the data access component dmc1 receives a query from the application program across the interface iDmc1, the data access component dmc1 accesses the data set A to obtain the required information. After obtaining the required information, the data access component dmc1 sends a response across the interface 20 iDmc1 to the application program. The data sets A and B are, as explained above, stored in the local server computer 20.

Referring now to Figure 7, there is shown a modification to the arrangement of Figure 6. In this modification, the data set A has been replaced by a modified data set A_v2 and the data access component dmc1 has been replaced by a modified data 25 access component dmc1 v2. In comparison with the data set A, the structure of the data set A_v2 has been modified, for example by adding an extra field to each record. The modified data access component dmc1_v2 is arranged to access the modified data set A_v2. However, the data access component dmc1 v2 presents the same interface iDmc1 to the application program as that presented by the original data 30 access component dmc1. Thus, the modified data access component dmc1 v2 can respond to queries received across the interface iDmc1. However, as the application program is still version 1.0 of the application program, it cannot take advantage of the extra functionality provided by the modification to the structure of the data set.

It should be noted that no change has been necessary to the application program itself and that only the data access component has been modified.

Referring now to Figures 8 and 9, there are shown two modifications to the arrangement of Figure 6. In each of these arrangements, the data set B has been replaced by a modified data set B_v2 and the data management component dmc2 has been replaced by a modified data management component dmc2_v2. In comparison with the data set B shown in Figure 6, the structure of the data set B_v2 has been modified, for example by adding an additional field. The arrangement of Figure 8 uses version 1.0 of the application program whereas the arrangement shown in Figure 9 uses version 2.0 of the application program. In comparison with version 1.0 of the application program, version 2.0 is designed to produce queries designed for the modified data set B_v2 and thus to take advantage of the additional functionality which is present in modified data set B_v2.

The modified data access component dmc2_v2 is designed to present the interface iDmc2 to version 1.0 of the application program and to present a modified interface iDmc2_2 to version 2.0 of the application program. For this reason, the interface iDmc2 is indicated by arrows joined by a solid line in Figure 8 but by arrows joined by a dotted line in Figure 9. Likewise, the modified interface iDmc2_2 is indicated by arrows joined by a dotted line in Figure 8 and a solid line in Figure 9.

When the modified data access component dmc2_v2 is used with version 1.0 of the application program, it receives and responds to queries over the interface iDmc2. When it is used with version 2.0 of the application program, it receives and responds to queries over the modified interface iDmc2_2.

As will be described with reference to Figure 10, it is possible to arrange data 25 access components so that a single interface to an application program can be used for making queries to two or more data sets.

Referring now to Figure 10, there is shown an application program, two upper level data management components dmc3 and dmc4, two lower level data access components dmc3x and dmc3y and three data sets X, Y and Z. The data sets 30 X, Y and Z are stored in the local server computer 20.

The data access components dmc3 and dmc4 present, respectively, interfaces iDmc3 and iDmc4 to the application program. The data access component

dmc4 is arranged to respond to queries from the application program received on the interface iDmc4 and directed to the data set Z.

The data access component dmc3 has an interface to each of the lower level data access components dmc3x and dmc3y. The lower level data access component dmc3x is arranged to access data set X and the lower level data access component dmc3y is arranged to access the data set Y. Collectively, the data access components dmc3, dmc3x and dmc3y are arranged to respond to queries received on the interface iDmc3 and directed to either data set X or data set Y.

In a similar manner to that described with reference to Figures 6 to 9, if the structure of one of the data sets X, Y and Z is modified, then the associated data access component is modified accordingly. Thus, for example, if the structure of data set X is modified, then data access component dmc3x is modified.

Each data access component is formed from a number of software objects.

Specifically, each data access component includes an individual software object for each interface provided by that data access component and a software object for accessing the associate data set.

Referring now to Figure 11, there are shown the software objects which form the data access component dmc2_v2. These software objects include two software objects CDmc2 and CDmc2_2 which, respectively, provide the interfaces iDmc2 and iDmc2_2. The data access component dmc2_v2 also includes a software object CDsetB_v2 for accessing the data set B_v2. The software object CDsetB_v2 can receive messages from, and transmit messages to, each of the software object CDmc2 and CDmc2_2.

Each application program includes a set of software objects which generate
25 messages to, and receive messages from, the interface objects in the associated data
access components. In relation to a data access component, each of the software
objects functions as a client object. By way of example, Figure 10 shows a client
software object ClientObj1 which can send messages to, and receive messages from,
the interface object CDmc2 across the interface iDmc2.

In each data access component, the individual software objects collectively provide the methods which are needed for performing searches on the associated data set and for retrieving items of data for use by an application program. The data set associated with the data access component is private to the software objects of

10

20

that data access component in the sense that it can only be accessed by these software objects. The data set is thus encapsulated by the software objects of the associated data access component. The concept of encapsulation is well known in object oriented design.

In each data access component, the individual software objects may be formed from a group of subsidiary objects.

Although this invention has been described with reference to a directory enquiry system, it is to be appreciated that it is suitable for general use in computing systems.

The invention is equally applicable to systems in which the communications link between the client and server computers includes a radio link. For example, the invention finds application with Mobile -IP (Internet Protocol) terminals (which may be mobile phones, PDAs, laptop computers or the like), WAP terminals (which again may be mobile phones or more sophisticated devices) and similar devices. Such 15 terminals would typically provide a client computer of a client server system.

The invention (in particular, the data access component) will typically be embodied in software and, as such, the invention extends to a data carrier or data carriers (magnetic tapes or discs, memory sticks, optical discs or other data carriers) carrying such software. The software may be transferred over a data link.

Although this invention has been described with reference to a computing systems formed from several computers, it is to appreciated that it is also suitable for use on a computing system formed from a single computer. Where the invention is used with a computing system formed from a single computer, then the application program or programs, data access component or components and the associated data 25 set or sets are all stored on the single computer.

CLAIMS

A computer system including:

a version of an application program stored in said computer system;

5 at least one data access component stored in said computer system, the or each data access component being associated with a set of data stored in said computer system;

the or each data access component being arranged to receive a data query from said version of said application program, access its associated data set in 10 response to said query, and transmit a reply to said version of said application program; and

one of said data access components being arranged to access its associated data set both to respond to a query designed for the present version of the structure of its associated data set and also to respond to a query designed for an earlier version of the structure of its associated data set.

- A computer system as claimed in claim 1, in which the or each data set comprises a set of records each of which has a set of fields, and the difference between the present and earlier versions of the structure of the data set associated
 with said one data access component is that the records of the present version include at least one additional field.
- 3. A computer system as claimed in any one of the preceding claims, in which each data access component comprises at least one software object, and said one data access component comprises at least two software objects, one of which is arranged to respond to a query designed for the present version of the structure of its associated data set and the other of which is arranged to respond to a query designed for the earlier version of the structure of it associated data set.
- 4. A computer system as claimed in any one of the preceding claims, in which: the computer system includes a client computer, a server computer and a communications network arranged to connect the client computer to the server computer; and

said version of said application program and said at least one data access component are stored on said client computer; and

said data sets are stored in said server computer.

- 5 5. A computer system as claimed in claim 4, in which a plurality of versions of said application program are stored on said server computer, and said client computer is arranged to download one or more of said versions of said application program from said server computer for use on said client computer.
- 10 6. A computer system as claimed in claim 5, in which said at least one data access component is stored on said server computer, and said client computer is arranged to download said at least one data access component from said server computer for use on said client computer.
- 15 7. A computer system as claimed in any one of claims 4 to 6, wherein the client computer is a mobile phone, WAP terminal or mobile-IP terminal and the communications network includes a radio transmission system over which data connections can be made between the client computer and the server computer.
- 20 8. A method of operating the computer system of claim 6, in which at least one version of the application program and said at least one data access component are downloaded from the server computer in separate operations.
- 9. A method of operating a computer system, said computer system including a version of an application program stored in said computer system, at least one data access component stored in said computer system, the or each data access component being associated with a set of data stored in said computer system, the or each data access component being arranged to receive a data query from said version of said application program, access its associated data set in response to said query,
 30 and transmit a reply to said version of said application program, said method

comprising the steps of:

changing the structure of one of said data sets; and modifying the data access component associated with said one data set;

the modification to said data access component permitting it to handle queries from the present version of the application program directed to said one data set but designed for the data set before the change in its structure.

ABSTRACT

COMPUTING SYSTEM

A computing system includes an application program and two data access components dmc1 and dmc2 loaded on to a client computer. The data access components dmc1 and dmc2 provide access to data sets A and B stored on a server computer. Each data access component is arranged to handle a data query from the application program directed to its associated data set. If the structure of one of the data sets is changed, for example to add a new field, then the associated data access component is also modified. The modification to the data access component permits it to handle queries from the present version of the application program directed to the data set but designed for the data set before the change in its structure. The modification to the data set with the changed structure from an updated application program which is designed to take advantage of the new structure of the data set.

Figure (6)

COCHARG COMPON

Fig. 1


2/11


TOWN	NEAREST	NEXT NEAREST TOWN	COUNTÝ		
40	41	42	ئ4		
	Fig. 2				

TOWN	NEAREST TOWN	NEXT NEAREST TOWN	COUNTY	NEAREST
So	اک	52	53	54
	F	i _s . 3		

Fig. 4

DECTABO. CBETTOIL








Fig. 6

7/4





Fig. 7



Fis. 8

9/11




Fig. 9




Fig. 10




Fig 11

A25712 USw

Nixon & Vanderhye P.C. (10/99) (Domestic Non-Assigned/Foreign)

RULE 63 (37 C.F.R. 1.63) DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name, and I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: COMPUTER SYSTEM

		fication of which (check	applicable box(s)):					
		attached hereto is filed on		!! 0 4!!-	OI-I NI-		(Am. Dis No	
	⊔ wa	is illed on		as U.S. Applic	ation Serial No.		(Atty Dkt. No.	-3
	⊠ wa	s filed as PCT Internation	onal application No	— PCT/GB	00/00980 on	16 March	2000	
			application) was amended on	rondo	00,00000	20 11010-	2000	
			approaches, mae ameriaea en					
	amendm 37 C.F.R below an priority is Priority F	ent referred to above. I . 1.56. I hereby claim for d have also identified be claimed or, if no priority oreign Application(s):	ed and understand the contents acknowledge the duty to disclereign priority benefits under 38 slow any foreign application for is claimed, before the filing da	ose information who U.S.C. 119/365 or patent or inventor ate of this applicati	ich is material to the pate f any foreign application('s certificate having a filin	ntability of this app s) for patent or inv	plication in accordance entor's certificate listed of the application on wi	hich
Ď	Applicat 9907090	ion Number		Country GREAT BRIT			Day/Month/Year F	
å	9930553			EUROPE	ain		26 March 1 20 December 1	
	9900000	9.1		EUNOFE			ZO December 1	555
		claim the benefit under 3 ion Number	35 U.S.C. §119(e) of any Unite	d States provision Date/Month/Year		ow.		
٥								
1	subject m U.S.C. 1	natter of each of the clair 12, I acknowledge the du	35 U.S.C. 120/365 of all prior Ums of this application is not dis uty to disclose material information of the control of the c	closed in such pri-	or applications in the man	ner provided by th	e first paragraph of 35	the
Ų	Prior U.S	S./PCT Application(s):					Status: pater	hete
ų		on Serial No.		Day/Month/Year	Filed		pending, abando	
1	PCT/	GB00/00980		16 March	2000		PEND	ING
_								
+	be true; a imprison application application application attorneys in the Paryan H. Lastova, Robert A. Michelle in names/nu	und further that these stament, or both, under See on or any patent issued the Arlington, VA 22201-4 fibereof (of the same adtent and Trademark Offire, 27076; James T. Hos Davidson, 30251; Stanla 33149; H. Warren Burres Molan, 29834; B. J. San V. Lester, 32331; Frank umbers no longer with the month of the same standard that the same standard that the same standard that the same same same same same same same sam	Ist made herein of my own knottements were made with the bitton 1001 of Title 18 of the Unhereon. And on behalf of the VIT4, telephone number (703 kirdess) individually and collectic econnected therewith and wismer, 30184. Robert W. Faris, by C. Spooner, 27983: Leonar Mr. J. 2366. Domas B. Byr dolf, 36663. James D. Berquis P. Prestaj, 18982: Joseph S. P. Prestaj, 18982: Joseph S. Hornar B. Byr dolf, 36664. So de	nowledge that will idea States Code a bwner(s) hereof, II) I 816-4000 (to wh vely owner's/own 31352: Richard G. J. Witchard, 290 le. 32205: Mary J. t. 34776; Updeep resta, 35329 I als yo n Instructions o	ul false statements and to that such willful false enereby appoint NIXON & mail communications or attorneys to prosecute ent. Arthur R. Crawford, Besha, 22770: Mark E. 193; Duane M. Byers, 333 Wilson, 32955; J. Scott I. S. Gill, 37334; Michael J. o authorize Nixon & Vancirrectly communicated for irrectly communicated for irrectly communicated for	he like so made ar statements may je VANDERHYE P. C are to be directe this application ar 25327: Larry S. N Nusbaum, 32348; 63; Jeffry H. Nelso Javidson, 33489; Shea, 34725. Dor seriye to delete ar	e punishable by fine or oppardize the validity of popardize the validity of	the d:, ss 06;
	1. -CO	Inventors Signature: Inventor:	PHILLIP	<u>~` </u>	HARLAND	Date:	\$ / S/ <2000	
1	VO -	inventor.	(first)	MI	(1A)		(citizenship)	
		Residence: (city)	HOVE		(state/country) GRE	EAT BRITAIN 🕝	BN	
		Post Office Address:	FLAT(2, 54-56 BRUNSWIC	K PLACE, HOVE,	EAST SUSSEX			
		(Zip Code)	BH3 1NB					
	2.	Inventor's Signature:				Date:		
						Date.		
		Inventor:	RONAN		VUS	Date	ZA	
		Inventor:	(first)	MI	(last)		ZA (citizenship)	
		Inventor: Residence: (city)	(first) BRACKNELL		(last) (state/country) GRE	EAT BRITAIN		
		Inventor: Residence: (city) Post Office Address:	(first) BRACKNELL 21 UPAVON GARDENS, BI		(last) (state/country) GRE			
		Inventor: Residence: (city)	(first) BRACKNELL		(last) (state/country) GRE			

FOR ADDITIONAL INVENTORS, check box $\ \square$ and attach sheet with same information and signature and date for each.

A25712 USw

PCT/GB 00/00980 on 16 March 2000

Nixon & Vanderhye P.C. (10/99) (Domestic Non-Assigned/Foreign)

(Atty Dkt. No.

RULE 63 (37 C.F.R. 1.63) DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

as U.S. Application Serial No.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name, and I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: COMPUTER SYSTEM

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any

the specification of which (check applicable box(s)):

was filed as PCT International application No. and (if applicable to U.S. or PCT application) was amended on

is attached hereto

was filed on

amendment referred to above. I ac 37 C.F.R. 1.56. I hereby claim fore below and have also identified belo priority is claimed or, if no priority is	eign priority benefits under 35 U.S.C www.anv.foreign.application.for.patent	C. 119/365 of a t or inventor's	any foreign applicati certificate having a l	on(s) for patent or in	ventor's centificate listed
Priority Foreign Application(s):		Country			Day/Month/Year Filed
9907090.6	GF	REAT BRITAL	N		26 March 1999
99305539.1	EU	JROPE			20 December 1999
hereby claim the benefit under 35 Application Number	U.S.C. §119(e) of any United State Date/	es provisional 'Month/Year F	application(s) listed	below.	
subject matter of each of the claim	6 U.S.C. 120/365 of all prior United is of this application is not discloser y to disclose material information a T international filing date of this ap	d in such prior s defined in 37	applications in the r	manner provided by '	the first paragraph of 35 ne filing date of the prior
Prior U.S./PCT Application(s):					Status: patented
Application Serial No.	Day/	Month/Year F	iled		pending, abandoned
PCT/GB00/00980	16	March	2000		PENDING
application or any patent issued th § [®] Floor, Arinjaton, VA 22201-4¹ attomeys thereof (of the same add in the Patent and Trademark Offic Vanderhye, 27076; James T. Hos Bryan H. Davidson, 30251; Stanle Lestowa, 33149; H. Warren Burna Robert A. Molan, 29834; S. J. Sac Michelle N. Lester, 32331; Frank the thoreof the Molan and the same shared so no longer with the other organization sending instruc-	ion 1001 of Title 18 of the United Steepen. And on bahalf of the owner 714, telephone number (703) 816-fress) individually and collectively of econnected therewith and with the mer, 30184; Robert W. Faris, 3138, y C. Spooner, 27935; Leonard C. G. M., Jr. 29366; Thomas E. Byrne, 32 G. Spooner, 27935; Leonard C. G. M., Jr. 29366; Thomas D. Bequial, 347 p. Fresta, 19828, Joseph S. Presta G.	r(s) hereof, I he 4000 (to who wner's/owners resulting pate 2; Richard G. Aitchard, 2900 (205; Mary J. V 776; Updeep S I, 35329 I also instructions di	ereby appoint NIXO m all communicati s' attorneys to prose ent: Arthur R. Craw Besha, 22770; Mark 9; Duane M. Byers, Vilson, 32955; J. Sc S. Gill, 37334; Micha o authorize Nixon & rectly communicate rectly communicate	N & VANDERHYE Pions are to be directicute this application ford, 25327; Larry S. k. E. Nusbaum, 32344 33363; Jeffry H. Nelcott Davidson, 33489 tel J. Shea, 34725; D. Vanderhye to delete	.C., 1100 Norm Glebe Rd., ted), and the following and to transact all business . Nixon, 25640; Robert A. § Michael J. Keenan, 32106; son, 30481; John R. ;; Alan M. Kagen, 36178; Jonald L. Jackson, 41090; any attorney
 Inventor's Signature: 	PHILLIP		HARL		GB
mventon.	(first)	MI	(las		(citizenship)
Residence: (city)	HOVE		(state/country) _	GREAT BRITAIN	
Post Office Address:	FLAT 2, 54-56 BRUNSWICK PLA	ACE, HOVE, E	AST SUSSEX		
(Zip Code)	BH3 1NB				
Inventor's Signature:	De-			Date:	26/05/200
nventor:	RONAN		VU		ZA
10	(first)	MI	(las		(citizenship)
Residence: (city)	BRACKNELL	armi pepi		GREAT BRITAIN	VBN
Post Office Address:	21 UPAVON GARDENS, BRACK	UNELL, BERK	SHIRE		
(Zip Code)	RE12 9YE				
FOR ADDITIONAL INVENTORS	, check box 🔲 and attach sheet	: with same in	formation and sign	nature and date for	each.

TOANGO BOOK TOO

Page 2

Post Office Addr (Zip Code)

RULE 63 (37 C.F.R. 1.63) DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

	IN THE UNITED STA	TATE OF ALL	AD INADEMARK OFFICE	=	
Inventor's Signature:	70384			Date: 19/	b5/2000
Inventor:	TOM	MI	BRETT (last)		GB (citizenship)
Residence: (city)	DORCHESTER-ON-THAM	ES	(state/country) GREAT	BRITAIN	BAT
Post Office Address:	45 HIGH STREET, DORCE	HESTER-ON-THAN		- Constitution	
(Zip Code)	OX10 7HN		•		
Inventor's Signature:				Date:	
Inventor:	MARK		FREED		ZA
mivolitor.	(first)	Mi	(last)		(citizenship)
Residence: (city)	GUERNSEY		(state/country) GREAT	BRITAIN	
Post Office Address:		EEVAL, TORTEVA	L, GUERNSEY, CHANNEL I		
(Zip Code)	GY8 OPE				
Inventor's Signature:				Date:	
Inventor:	DARRIN		LUM		AU
	(first)	MI	(last)		(citizenship)
Residence: (city)	RICHMOND		(state/country) GREAT	BRITAIN	
Post Office Address:	FLAT 6, 52 MOUNT ARAF	RAT ROAD, RICHM	OND, SURREY		
(Zip Code)	TW10 6PJ		***************************************		
Inventor's Signature:				Date:	
Inventor:	TREVOR		LEWIS		ZA
	(first)	MI	(last)		(citizenship)
Residence: (city)	HAMMÈRSMITH BROADV			BRITAIN	
Post Office Address:	2 ^{NU} FLOOR, BROADWAY	CHAMBERS, 20 H	AMMERSMITH, LONDON		
(Zip Code)	W6 7BB				
Inventor's Signature:				Date:	
Inventor:					
	(first)	MI	(last)		(citizenship)
Residence: (city)			(state/country)		
Post Office Address:					
(Zip Code)					
Inventor's Signature:				Date:	
Inventor:					
	(first)	MI	(last)		(citizenship)
Residence: (city)			(state/country)		
Post Office Address:					

RULE 63 (37 C.F.R. 1.63) DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Page 2

3 Inventor's Signature: TOM BRETT Inventor: Μí (citizenship) (first) (last) Residence: (city) DORCHESTER-ON-THAMES (state/country) GREAT BRITAIN 45 HIGH STREET, DORCHESTER-ON-THAMES, WALLINGFORD Post Office Address (Zip Code) OX10 7HN Inventor's Signature: Inventor: (first) tízenship) (last) **GUERNISEY** GREAT BRITAIN Residence: (city) (state/country) GUERNSEY, CHANN Post Office Address: ELM ROAD wiND. (Zip Code) ERKSHIRE 5. Inventor's Signature: AU Inventor: LUM (first) ΜI (last) (citizenship) (state/country) GREAT BRITAIN Residence: (city) RICHMOND FLAT 6, 52 MOUNT ARARAT ROAD, RICHMOND, SURREY Post Office Address: (Zip Code) TW10 6PJ Inventor's Signature: Date: TREVOR LEWIS ZA Inventor: (first) (last) (citizenship) Residence: (city) HAMMERSMITH BROADWAY GREAT BRITAIN (state/country) FLOOR, BROADWAY CHAMBERS, 20 HAMMERSMITH, LONDON Post Office Address: (Zip Code) W6 7BB Inventor's Signature: Inventor: (first) ΜI (last) (citizenship) (state/country) Residence: (city) Post Office Address: (Zip Code) Inventor's Signature: Inventor: (first) М (last) (citizenship) Residence: (city) (state/country) Post Office Address: (Zip Code)

RULE 63 (37 C.F.R. 1.63) DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Page 2

3.	Inventor's Signature:			D	ate:	
	Inventor:	TOM		BRETT		GB
		(first)	MI	(last)		citizenship)
	Residence: (city)	DORCHESTER-ON-THAMES		(state/country) GREAT BI		,,
	Post Office Address:	45 HIGH STREET, DORCHEST	FR-ON-THAM			
	(Zip Code)	OX10 7HN	211 011 1111	EG, Willemiter Gite		
4.	Inventor's Signature:	OX 10 71 IIV			ate:	
4.	Inventor:	MARK		FREED	ate	ZA
	myemor.	(first)	MI	(last)		citizenship)
	Residence: (city)	GUERNSEY	IVII	(state/country) GREAT BI		Citizonomp)
	Post Office Address:	HIGHFIELD, RUE DE ROUEEVA	AL TORTEVAL			
	(Zip Code)	GY8 OPE	AL, IONIEVAL	, GUERNSET, CHANNEL ISL	ANDS	
_	(Zip Code) Inventor's Signature:				ate: 26/4/2	440
5.		DABBEN		TUM D		
20	Inventor:	(first)	Mi	(last)	_	citizenship)
00	Residence: (city)	BICHMOND	MI	(state/country) GREAT BI	STAIN CAL	Citizensnip)
	Post Office Address:	FLAT 6. 52 MOUNT ARARAT F	OAD DICUMO	(State/Country) GREAT BI	TITAIN CONT	<u> </u>
1000			CAD, RICHIVIC	IND, SURRET		
1955	(Zip Code)	TW10 6PJ				
76 .	Inventor's Signature:				ate:	
	Inventor:	TREVOR		LEWIS		ZA
		(first)	MI	(last)		citizenship)
al.	Residence: (city)	HAMMERSMITH BROADWAY		(state/country) GREAT Bi	RITAIN	
g-iz	Post Office Address:	2 ND FLOOR, BROADWAY CHAP	MBERS, 20 HA	MMERSMITH, LONDON		
11	(Zip Code)	W6 7BB				
3.	Inventor's Signature:			D	ate:	
N	Inventor:	_				
j		(first)	MI	(last)		(citizenship)
	Residence: (city)			(state/country)		
-	Post Office Address:					
140	(Zip Code)					
₿.	Inventor's Signature:			D	ate:	
U	Inventor:					
		(first)	MI	(last)		citizenship)
4	Residence: (city)			(state/country)		
-9	Post Office Address:					

Page 2

(Zip Code)

RULE 63 (37 C.F.R. 1.63) DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

3.	Inventor's Signature:			Date:	
	Inventor:	TOM		BRETT	GB
		(first)	MI	(last)	(citizenship)
	Residence: (city)	DORCHESTER-ON-THAMES		(state/country) GREAT BRITAIN	,
	Post Office Address:	45 HIGH STREET, DORCHE	STER-ON-THA	MES, WALLINGFORD	
	(Zip Code)	OX10 7HN		•	
4.	Inventor's Signature:			Date:	
	Inventor:	MARK		FREED	ZA
		(first)	MI	(last)	(citizenship)
	Residence: (city)	GUERNSEÝ		(state/country) GREAT BRITAIN	
	Post Office Address:	HIGHFIELD, RUE DE ROUEE	VAL, TORTEV	AL, GUERNSEY, CHANNEL ISLANDS	
	(Zip Code)	GY8 OPE			
5.	Inventor's Signature:			Date:	
	Inventor:	DARRIN		LUM	AU
		(first)	MI	(last)	(citizenship)
	Residence: (city)	RICHMOND		(state/country) GREAT BRITAIN	
	Post Office Address:	FLAT 6, 52 MOUNT ARARAT	ROAD, RICH	MOND, SURREY	
	(Zip Code)	TW10 6PJ			
6.	Inventor's Signature:	14		Date:	72105100
E ah	Inventor:	TREVOR		LEWIS	ZA
IN IN		(first)	MI	(last)	CB (citizenship)
1	Residence: (city)	HAMMERSMITH BROADWAY		(state/country) GREAT BRITAIN	CON
1507	Post Office Address:	2 ND FLOOR, BROADWAY CH	AMBERS, 20	HAMMERSMITH, LONDON	
party.	(Zip Code)	W6 788			
	Inventor's Signature:			Date:	
	Inventor:				
O		(first)	MI	(last)	(citizenship)
LU .	Residence: (city)			(state/country)	
4	Post Office Address:				
9	(Zip Code)				
8 .	Inventor's Signature:			Date:	
U	Inventor:	(P N	141	//	(citizenship)
(4)	Residence: (city)	(first)	MI	(last) (state/country)	(Gluzensnip)
TU.	Residence: (city)			(State/Country)	